

PUMPLETTER OCTOBER 10, 2009

NEOFLUX'S INTRODUCES





The new *Saniflux* pump incorporates an innovative Air-Distribution System (ADS) first time in Indian Market. This Air Distribution Management System optimizes the new *Neo-Tune* ADS to specific operating conditions. With the turn of an integrated control knob, the pump user can select the desired efficiency point & flow rate that best suites the application.

The results are higher performance, lower operational costs, performance flexibility & antifreezing characteristics that goes far beyond what was considered the industry standards.

Example: The *Neo-Tune* Air-Distribution System Design has shown air consumption savings as high as 61% over the competition in certain applications.

The Neo-Tune design is guaranteed to push AODDP world to new performance heights. It will out pace, out match & out perform the competition. *Its time to contrive the flow you want!!!*

Features & Benefits:

Electro Polished SS-304 or SS-316L Construction Wetted Material

1" to 3" Tri-Clamp Style Connections

Nickel Plated Neo-Flo and Neo-Tune Air Distribution System option available

Neo-Tef PTFE Diaphragms & Ball Valves available

Duplex Liquid Chamber design for delicate product transfe

Maximum operating pressure 8.6 bar (125 psig)

Maximum Flow Rate upto 850 LPM (225 GPM)

Maximum Solid Passage upto 1"

CIP (Clean in Place)

SIP (Steam/Sterilize in Place)

For Further Information, Please visit www.neoflux.in Or Contact

Neoflux Technic Private Limited

43, GIDC Industrial Estate, Phase – I, Vatva, Ahmedabad – 380018, Gujarat, INDIA

> Contact # +91 - 9825009234 Email – *info* @*neoflux.in*



